



Fresh Life
the key to
smart green future



FRESH LIFE CHINA (Head office / factory)

Address: 858 Tangshi Nanzhuang Economic Development Zone
of Zhangjiagang City, Jiangsu Province 215618

Ph: +86 512 58163318

FRESH LIFE USA

Address: 2311 Cordoza AVE CA 91748

Ph: +1 626 726 7864

FRESH LIFE AUSTRALIA

Address: 6/117 Ewing St Welshpool 6106 WA

Ph: +61 8 6183 5971



FRESH LIFE IS READY TO SERVE



COMPANY INTRO

Fresh Life Packaging Australia is established based on two successful businesses. Both factories have been well established over the last decades, and owned exclusively by the family with a combined annual turn over of 70,000,000 AUD. The products including aluminum foils rolls, sheets and containers, etc. Plastic film and bags including PE, CPP, BOPP, high barrier film and vacuum bags, etc. Fresh Life now is expanding in Australia and wish to bring and provide local packaging services to you. We are looking forward to grow together with you in Australia.

Fresh Life is ready to serve!



Core competence self owned factory

Fresh life Aluminum Foil Co., Ltd. is a professional aluminum foil manufacturer integrating R&D, production and sales of aluminum foil products. The main products include: aluminum foil, aluminum foil container, airline casseroles, aluminum foil container production equipment, aluminum foil mold and more.

The company insists on continuously creating innovative value for customers and continuously enhances its innovative ability. With outstanding technical strength, high quality control system, the company is trusted and cooperated by customers all over the world. The company has passed a series of certification systems including FDA, SGS Food Grade Certificate, SGS Social Responsibility Report, and ISO9001-2008 & ISO22000-HACCP Quality Management System Certification.

Aluminum foil products are closely related to sustainable development. Raw material aluminum is used in the production for disposable in food packaging field such as baking, aviation catering, takeaway packaging and family banquet. It is easy to use, safe, environmentally friendly, low-carbon. It can be heated directly in ovens, microwave ovens, steamers, etc. It can be recycled and reused with zero pollution.

Making food package cleaner and making the environment more beautiful is the promise of every Fresh Life staff!

CERTIFICATES





Food grade aluminum foil is the only raw material for the production of aluminum foil products.

- ① Corrosion resistance
- ② Eco- friendly and recyclable;
- ③ High intensity;
- ④ Strong thermal insulation performance and hot resistant.

RAW MATERIAL-ALUMINUM JUMBO ROLL

Product name	Medical foil	Household foil	Container foil	Lubricated foil	Colored foil
Thickness range	0.012-0.026mm	0.009-0.027mm	0.035-0.15mm	0.078-0.095mm	0.011-0.15mm
Width range	350-1050mm	250-460mm	180-1050mm	180-800mm	180-550mm
Alloy	1235;1145	1235;8011	8011;8006;3003	8011	8011
Temper	H18	O	H22;H24;O	O	O
Core diameter	76mm/152mm	76mm/152mm	76mm/152mm	76mm/152mm	76mm/152mm
Outer diameter	400-800mm	400-600mm	400-700mm	400-600mm	200-400mm
Purpose	Medicine packaging	Household cooking;baking	Food container package	Avation meal box; foil casserole	Baking; cup cake package



ALUMINUM FOIL ROLLS



Aluminum foil roll can be customized. Customers could choose their own styles of packaging and sizes.

FACTORY RANGE	
Length	from 5 ~ 400 Meters
Width	from 120 ~ 610 mm
Thickness	from 10 ~ 27 micron



/ Clean



/ Easy



/ Recyclable



/ Sustainable

HOUSEHOLD ALUMINUM FOIL ROLL SPECIFICATION LIST

Regular Specification	Packing	Carton size	20 GP	40 GP	40 HQ
25FT×12" ×11MIC	48ROLLS/CTN	35.1×26.7×32.5CM	915CTNS	1835CTNS	2230CTNS
37.5FT×18" ×11MIC	48ROLLS/CTN	35.1×26.7×47.5CM	625CTNS	1255CTNS	1525CTNS
25FT×12" ×15MIC	24ROLLS/CTN	26.7×18.3×32.5CM	1760CTNS	3525CTNS	4280CTNS
37.5FT×18" ×15MIC	24ROLLS/CTN	26.7×18.3×47.5CM	1210CTNS	2410CTNS	2925CTNS
75FT×12" ×11MIC	24ROLLS/CTN	28.5×19.5×32.5CM	1550CTNS	3100CTNS	3760CTNS
200FT×12" ×11MIC	12ROLLS/CTN	21.5×16.5×32.5CM	2425CTNS	4855CTNS	5895CTNS
5M×30CM×11MIC	48ROLLS/CTN	35.1×26.7×32.5CM	915CTNS	1835CTNS	2230CTNS
5M×45CM×11MIC	48ROLLS/CTN	35.1×26.7×47.5CM	625CTNS	1255CTNS	1525CTNS
5M×30CM×15MIC	24ROLLS/CTN	26.7×18.3×32.5CM	1760CTNS	3525CTNS	4280CTNS
5M×45CM×15MIC	24ROLLS/CTN	26.7×18.3×47.5CM	1210CTNS	2410CTNS	2925CTNS
5M×30CM×18MIC	24ROLLS/CTN	26.7×18.3×32.5CM	1760CTNS	3525CTNS	4280CTNS
5M×45CM×18MIC	24ROLLS/CTN	26.7×18.3×47.5CM	1210CTNS	2410CTNS	2925CTNS
10M×30CM×11MIC	24ROLLS/CTN	26.7×18.3×32.5CM	1760CTNS	3525CTNS	4280CTNS
10M×45CM×11MIC	24ROLLS/CTN	26.7×18.3×47.5CM	1210CTNS	2410CTNS	2925CTNS
150M×30CM×12MIC	6ROLLS/CTN	35.3×26×18CM	1690CTNS	2200CTNS	2200CTNS
150M×45CM×12MIC	6ROLLS/CTN	50.3×26×18CM	1190CTNS	1500CTNS	1500CTNS
300M×30CM×12MIC	4ROLLS/CTN	35.3×22×22CM	1635CTNS	1635CTNS	1635CTNS
300M×45CM×12MIC	4ROLLS/CTN	50.3×22×22CM	1150CTNS	1150CTNS	1150CTNS
150M×60CM×23MIC	4ROLLS/CTN	65.3×22×22CM	885CTNS	885CTNS	885CTNS
300M×60CM×23MIC	2ROLLS/CTN	65.3×13.5×14CM	1000CTNS	1000CTNS	1000CTNS
8M×25CM×12MIC	48ROLLS/CTN	35.1×26.7×27CM	1105CTNS	2210CTNS	2685CTNS
15M×25CM×12MIC	48ROLLS/CTN	37.5×28.5×27.5CM	950CTNS	1905CTNS	2310CTNS



FRESH FOIL **ALUMINUM FOIL CONTAINERS**
Rectangle

F0




Top out: 129*101mm	Thickness	0.04 mm
Top in: 110*84mm	Packing	2000 pcs
Capacity: 220ml	Carton size	36*27*53 cm
Base: 90*60mm	Weight	3 g

F1



Top out: 147*122mm	Thickness	0.042 mm
Top in: 128*103mm	Packing	1000 pcs
Capacity: 450ml	Carton size	50*27*30.5 cm
Base: 110*84mm	Weight	4.53 g

F2



Top out: 225*104mm	Thickness	0.057 mm
Top in: 210*90mm	Packing	1000 pcs
Capacity: 780ml	Carton size	56.5*26*46.5 cm
Base: 178*73mm	Weight	9 g

F3



Top out: 224*155mm	Thickness	0.058 mm
Top in: 205*135mm	Packing	500 pcs
Capacity: 1000ml	Carton size	46.5*34.5*32.5cm
Base: 175*113mm	Weight	11 g

F3208



Top out: 190*145mm	Thickness	0.063 mm
Top in: 170*123mm	Packing	1000 pcs
Capacity: 550ml	Carton size	73*28*40.5 cm
Base: 156*105mm	Weight	8.5 g

F4008



Top out: 192*138mm	Thickness	0.063 mm
Top in: 175*122mm	Packing	1000 pcs
Capacity: 600ml	Carton size	57.5*36.5*40.2cm
Base: 156*104mm	Weight	7.7 g

F4010



Top out: 222*133mm	Thickness	0.07 mm
Top in: 205*117mm	Packing	1000 pcs
Capacity: 680ml	Carton size	69*30*46.5 cm
Base: 188*95mm	Weight	9.68 g

F4012



Top out: 225*175mm	Thickness	0.063 mm
Top in: 210*160mm	Packing	1000 pcs
Capacity: 950ml	Carton size	49*23.5*55.5 cm
Base: 193*143mm	Weight	11.65 g

F4510



Top out: 207*142mm	Thickness	0.053 mm
Top in: 190*123mm	Packing	1000 pcs
Capacity: 780ml	Carton size	42*21.7*73 cm
Base: 170*100mm	Weight	8 g

F4515



Top out: 220*220mm	Thickness	0.06 mm
Top in: 200*200mm	Packing	500 pcs
Capacity: 1450ml	Carton size	45.8*39*46.3 cm
Base: 185*185mm	Weight	13.6 g

F4611



Top out: 215*145mm
Top in: 197*128mm
Capacity: 850ml
Base: 173*104mm

Thickness	0.049 mm
Packing	1000 pcs
Carton size	41.5*22.5*74.8cm
Weight	8 g

F5007



Top out: 145*120mm
Top in: 128*102mm
Capacity: 380ml
Base: 105*80mm

Thickness	0.043 mm
Packing	1000 pcs
Carton size	62*25*30.5 cm
Weight	4 g

F5516



Top out: 255*190mm
Top in: 234*167mm
Capacity: 1600ml
Base: 210*145mm

Thickness	0.07 mm
Packing	500 pcs
Carton size	42*40*53 cm
Weight	16.65 g

F5831



Top out: 320*265mm
Top in: 302*240mm
Capacity: 2700ml
Base: 273*213mm

Thickness	0.07 mm
Packing	400 pcs
Carton size	48.5*33.2*53.7cm
Weight	26 g

F5011



Top out: 312*102mm
Top in: 292*84mm
Capacity: 1000ml
Base: 262*66mm

Thickness	0.053 mm
Packing	800 pcs
Carton size	63.5*34.5*42.2cm
Weight	10.5 g

F5222



Top out: 320*215mm
Top in: 293*195mm
Capacity: 2100ml
Base: 273*173mm

Thickness	0.065 mm
Packing	500 pcs
Carton size	65.2*38.5*44.5cm
Weight	20 g

F7817



Top out: 250*131mm
Top in: 230*110mm
Capacity: 1450ml
Base: 205*85mm

Thickness	0.06 mm
Packing	600 pcs
Carton size	41.5*40.5*51.5cm
Weight	13.5 g

F7867



Top out: 250*145mm
Top in: 230*125mm
Capacity: 1450ml
Base: 200*100mm

Thickness	0.059 mm
Packing	1000 pcs
Carton size	47*31.3*51.5 cm
Weight	14 g

F5346



Top out: 395*338mm
Top in: 368*308mm
Capacity: 4200ml
Base: 340*280mm

Thickness	0.08 mm
Packing	200 pcs
Carton size	68.8*45*41 cm
Weight	43 g

F5510



Top out: 197*140mm
Top in: 182*122mm
Capacity: 890ml
Base: 160*110mm

Thickness	0.06 mm
Packing	1000 pcs
Carton size	58.7*45*41cm
Weight	10 g

F35045



Top out: 160*110mm
Top in: 143*95mm
Capacity: 350ml
Base: 132*81mm

Thickness	0.06 mm
Packing	1000 pcs
Carton size	57*33*33.5 cm
Weight	5.2 g

F4212



Top out: 205*155mm
Top in: 190*140mm
Capacity: 650ml
Base: 173*125mm

Thickness	0.083 mm
Packing	1000 pcs
Carton size	63.5*32.5*42.5 mm
Weight	12.24 g


F4813



Top out: 203*203mm
Top in: 188*188mm
Capacity: 1300ml
Base: 165*165mm

Thickness	0.065 mm
Packing	500 pcs
Carton size	41.5*40*42 cm
Weight	13 g

F0850



Top out: 460*400mm
Top in: 438*378mm
Capacity: 1300ml
Base: 430*370mm

Thickness	0.098 mm
Packing	200 pcs
Carton size	51*41*47 cm
Weight	52 g

F4526HR



Top out: 320*257mm
Top in: 300*237mm
Capacity: 2200ml
Base: 270*212mm

Thickness	0.083 mm
Packing	500 pcs
Carton size	65.5*37*53 cm
Weight	27.94 g

F4706



Top out: 190*110mm
Top in: 173*95mm
Capacity: 460ml
Base: 155*78mm

Thickness	0.06 mm
Packing	1000 pcs
Carton size	45.5*39.5*39.5 cm
Weight	7.1 g

F2507



Top out: 200*130mm
Top in: 187*117mm
Capacity: 400ml
Base: 173*103mm

Thickness	0.06 mm
Packing	1000 pcs
Carton size	53.5*28.6*41.5 cm
Weight	7.2 g

F3912



Top out: 273*120mm
Top in: 260*110mm
Capacity: 940ml
Base: 245*95mm

Thickness	0.06 mm
Packing	1000 pcs
Carton size	49.5*37*56 cm
Weight	9.35 g

F55065



Top out: 127*114mm
Top in: 117*105mm
Capacity: 940ml
Base: 104*90mm

Thickness	0.083 mm
Packing	1000 pcs
Carton size	34.5*27*47 cm
Weight	8.7 g

F58085



Top out: 203*110mm
Top in: 183*95mm
Capacity: 740ml
Base: 160*75mm

Thickness	0.07 mm
Packing	1000 pcs
Carton size	50*47*42.5 cm
Weight	8.2 g

F4307



Top out: 190*110mm
Top in: 176*96mm
Capacity: 500ml
Base: 155*76mm

Thickness	0.05 mm
Packing	1000 pcs
Carton size	45.5*33.5*39.5 cm
Weight	5.8 g

1.2kg Lasagna tray



Top out: 255*194mm
Top in: 240*178mm
Capacity: 1200ml
Base: 220*155mm

Thickness	0.06 mm
Packing	500 pcs
Carton size	40.3*30*52.5 cm
Weight	12.1 g

1.6kg Lasagna tray



Top out: 251*188mm
Top in: 238*175mm
Capacity: 1600ml
Base: 215*150mm

Thickness	0.075 mm
Packing	500 pcs
Carton size	51.2*35.2*39 cm
Weight	19.8 g


2kg lasagna tray




Top out: 316*216mm
Top in: 290*190mm
Capacity: 2000ml
Base: 272*175mm

Thickness	0.077mm
Packing	500 pcs
Carton size	61.9*37.3*41.9 cm
Weight	21.5 g

F3614



F38032



F4526 (FC)



F5035



ALUMINUM
FOIL
CONTAINERS
Rectangle

ALUMINUM FOIL CONTAINERS

FRESH FOIL **Round**



Y207



Top out: 72mm	Thickness	0.04 mm
Top in: 62mm	Packing	5000 pcs
Capacity: 40ml	Carton size	38*35*38 cm
Base: 40mm	Weight	0.8 g

Y2606



Top out: 200mm	Thickness	0.045 mm
Top in: 180mm	Packing	500 pcs
Capacity: 500ml	Carton size	41*21*26 cm
Base: 155mm	Weight	6 g

Y3502



Top out: 108mm	Thickness	0.045 mm
Top in: 98mm	Packing	1500 pcs
Capacity: 200ml	Carton size	56.5*24*34.5 cm
Base: 70mm	Weight	2.5 g

Y4202



Top out: 70mm	Thickness	0.045 mm
Top in: 60mm	Packing	2500 pcs
Capacity: 90ml	Carton size	52*29.5*36.5 cm
Base: 48mm	Weight	2 g

Y4215



Top out: 290mm	Thickness	0.055 mm
Top in: 270mm	Packing	500 pcs
Capacity: 2000ml	Carton size	59*33*59 cm
Base: 250mm	Weight	15 g

Y4510



Top out: 184mm	Thickness	0.057 mm
Top in: 168mm	Packing	600 pcs
Capacity: 800ml	Carton size	57.3*29.5*38.5cm
Base: 142mm	Weight	7.4 g

Y4512



Top out: 205mm	Thickness	0.057 mm
Top in: 190mm	Packing	500 pcs
Capacity: 1000ml	Carton size	63*29.5*42 cm
Base: 175mm	Weight	8.6 g

Y4514



Top out: 230mm	Thickness	0.07 mm
Top in: 212mm	Packing	500 pcs
Capacity: 1300ml	Carton size	69.5*47.5*47.3cm
Base: 198mm	Weight	13.6 g

Y40035



Top out: 80mm	Thickness	0.045 mm
Top in: 70mm	Packing	5000 pcs
Capacity: 120ml	Carton size	44*41.5*41.5 cm
Base: 55mm	Weight	2 g

Y42022



Top out: 87mm	Thickness	0.062 mm
Top in: 74mm	Packing	1200 pcs
Capacity: 130ml	Carton size	27.5*27*36.5 cm
Base: 55mm	Weight	3 g

YY207



Top out: 55mm	Thickness	0.025 mm
Top in: 45mm	Packing	6000 pcs
Capacity: 40ml	Carton size	
Base: 30mm	Weight	0.35 g

Y2506



Top out: 185mm	Thickness	0.061 mm
Top in: 170mm	Packing	600 pcs
Capacity: 420ml	Carton size	57*26*37.5 cm
Base: 160mm	Weight	6.71 g

Y20018



Top out: 105mm	Thickness	0.083 mm
Top in: 93mm	Packing	2000 pcs
Capacity: 80ml	Carton size	43.5*33*43.5 cm
Base: 60mm	Weight	3 g

Y26045



Top out: 178mm	Thickness	0.045 mm
Top in: 160mm	Packing	600 pcs
Capacity: 350ml	Carton size	37*33.6*37 cm
Base: 125mm	Weight	4.8 g

Y1215



Top out: 298mm	Thickness	0.06 mm
Top in: 280mm	Packing	150 pcs
Capacity: 600ml	Carton size	34.5*31*31 cm
Base: 268mm	Weight	14 g

Y20065



Top out: 182mm	Thickness	0.061 mm
Top in: 172mm	Packing	900 pcs
Capacity: 600ml	Carton size	56*42.2*38 cm
Base: 160mm	Weight	6.2 g



ALUMINUM FOIL CONTAINERS

Round



ALUMINUM FOIL CONTAINERS

bakery & BBQ

F2523-K



Top out: 340*230mm	Thickness	0.07 mm
Top in: 320*210mm	Packing	400 pcs
Base: 320*210mm	Carton size	21 g
Capacity: 950ml	Weight	

F5512



Top out: 188*176mm	Thickness	0.06 mm
Top in: 150*150mm	Packing	600 pcs
Base: 130*130mm	Carton size	54.3*36.5*39 cm
Capacity: 950ml	Weight	12 g

Quiche Tray



Top out: 216mm	Thickness	0.06 mm
Top in: 195mm	Packing	520 pcs
Base: 180mm	Carton size	44.6*42.5*44.4 cm
Capacity: 800ml	Weight	11.5 g

R4510



Top out: 230*105mm	Thickness	0.06 mm
Top in: 215*90mm	Packing	1000 pcs
Base: 185*70mm	Carton size	50*46.5*48.5 cm
Capacity: 620ml	Weight	7.8 g

R30085



Top out: 230*105mm	Thickness	0.06 mm
Top in: 215*90mm	Packing	1000 pcs
Base: 200*80mm	Carton size	48*42*48.5 cm
Capacity: 430ml	Weight	6.1 g

Danish Tray-1509



Top out: 283*142mm	Thickness	0.065 mm
Top in: 265*122mm	Packing	750 pcs
Base: 263*124mm	Carton size	44.5*33*58.2 cm
Capacity: 270ml	Weight	9 g

4PK Croissant tray



Top out: 285*146mm	Thickness	0.065 mm
Top in: 265*127mm	Packing	750 pcs
Base: 261*123mm	Carton size	45*33*58.5 cm
Capacity: 300ml	Weight	9.2 g

3PK Croissant tray



Top out: 252*159mm	Thickness	0.061 mm
Top in: 215*140mm	Packing	750 pcs
Base: 200*128mm	Carton size	49.5*37*52 cm
Capacity: 350ml	Weight	9.6 g

Z3214




Top out: 227*178mm	Thickness	0.065 mm
Top in: 210*164mm	Packing	600 pcs
Base: 197*150mm	Carton size	55.5*33.5*47 cm
Capacity: 850ml	Weight	12.5 g

Z4012



Top out: 225*178mm	Thickness	0.065 mm
Top in: 210*160mm	Packing	600 pcs
Base: 195*143mm	Carton size	54.5*33*47 cm
Capacity: 780ml	Weight	12.4 g

Z4014



Top out: 228*178mm	Thickness	0.065 mm
Top in: 210*160mm	Packing	600 pcs
Capacity: 850ml	Carton size	55.5*33.5*47 cm
Base: 199*150mm	Weight	12.5 g

Z4215



Top out: 228*178mm	Thickness	0.07 mm
Top in: 212*169mm	Packing	600 pcs
Capacity: 970ml	Carton size	55.2*41*47.2 cm
Base: 190*140mm	Weight	16.9 g

T8818



Top out: 254*200mm	Thickness	0.061 mm
Top in: 232*178mm	Packing	500 pcs
Capacity: 2100ml	Carton size	101.8*37*26.5 cm
Base: 195*140mm	Weight	18 g

Y6011



Top out: 211*190mm	Thickness	0.065 mm
Capacity: 700ml	Packing	500 pcs
Base: 126mm	Carton size	47*43.7*39.5 cm
	Weight	10.9 g

Z3614



Top out: 225*180mm	Thickness	0.065 mm
Top in: 207*158mm	Packing	600 pcs
Capacity: 650ml	Carton size	55.5*35*47 cm
Base: 195*145mm	Weight	12.15 g

Z4212



Top out: 205*155mm	Thickness	0.065 mm
Top in: 190*140mm	Packing	600 pcs
Capacity: 600ml	Carton size	48*39*42.5 cm
Base: 175*125mm	Weight	10.2 g

T43037



Top out: 117*83mm	Thickness	0.06 mm
Top in: 105*73mm	Packing	900 pcs
Capacity: 170ml	Carton size	38*28.5*31.5 cm
Base: 88*57mm	Weight	3.72 g




ALUMINUM
FOIL
CONTAINERS
bakery & BBQ

HIGH END OF FOIL SMOOTH WALL

hot & seal foil trays



F12035-G




Top out: 188*104mm	Thickness	0.045 mm
Top in: 157*96mm	Packing	1000 pcs
Base: 157*96mm	Carton size	39.5*25*28 cm
Capacity: 260ml	Weight	4 g

F3308-W



Top out: 168*106mm	Thickness	0.082 mm
Top in: 156*95mm	Packing	1000 pcs
Base: 122*65mm	Carton size	44.5*29.5*35.5cm
Capacity: 350ml	Weight	6.5 g

F1004-G



Top out: 182*114mm	Thickness	0.045 mm
Top in: 168*102mm	Packing	1000 pcs
Base: 146*90mm	Carton size	41*33*28 cm
Capacity: 260ml	Weight	4 g

F27065-W



Top out: 158*102mm	Thickness	0.083 mm
Top in: 148*90mm	Packing	1000 pcs
Base: 138*80mm	Carton size	42.3*27*33.3 cm
Capacity: 350ml	Weight	6.5 g

F33055-W



Top out: 120*105mm	Thickness	0.09 mm
Top in: 111*97mm	Packing	1000 pcs
Base: 80*65mm	Carton size	45*26*23 cm
Capacity: 260ml	Weight	5.5 g

F30085




Top out: 180*138mm	Thickness	0.055 mm
Top in: 165*122mm	Packing	1000 pcs
Base: 156*115mm	Carton size	57*48*37.5 cm
Capacity: 540ml	Weight	6.7 g

FPS641



Top out: 164*107mm	Thickness	0.077 mm
Top in: 152*95mm	Packing	1000 pcs
Base: 135*82mm	Carton size	43.5*38*34 cm
Capacity: 400ml	Weight	7.6 g

F08045-G



Top out: 190*110mm	Thickness	0.05 mm
Top in: 175*108mm	Packing	1000 pcs
Base: 170*104mm	Carton size	39.5*39*23.5 cm
Capacity: 260ml	Weight	3.1 g



FLPA001



Top out: 220*130mm
Top in: 202*112mm
Capacity: 700ml
Base: 185*95mm
Height: 40mm

Packing	1000 pcs
Carton size	53.5*33*45.5 cm
Weight	13.9 g

FLPA002



Top out: 220*150mm
Top in: 202*132mm
Capacity: 900ml
Base: 185*115mm
Height: 45mm

Packing	1000 pcs
Carton size	61.5*33.5*45.5 cm
Weight	15.1 g

FLPA200318



Top out: 221*168mm
Top in: 200*146mm
Capacity: 1000ml
Base: 180*125mm
Height: 44mm

Packing	600 pcs
Carton size	45.7*42*35 cm
Weight	18.26 g

FLPA200577



Top out: 220*150mm
Top in: 202*132mm
Capacity: 900ml
Base: 185*115mm
Height: 45mm

Packing	1000 pcs
Carton size	61.5*33.5*45.5 cm
Weight	15.4 g

FLPA003



Top out: 220*130mm
Top in: 202*112mm
Capacity: 1000ml
Base: 185*95mm
Height: 57mm

Packing	1000 pcs
Carton size	53.5*35*45.5 cm
Weight	18.1 g

FLPA004



Top out: 220*150mm
Top in: 202*132mm
Capacity: 900ml
Base: 185*115mm
Height: 44mm

Packing	1000 pcs
Carton size	61.5*33.5*45.5 cm
Weight	18 g


FLPA200619



Top out: 294*192mm
Top in: 280*178mm
Capacity: 1750ml
Base: 265*165mm
Height: 44mm

Packing	500 pcs
Carton size	60.3*33.5*40 cm
Weight	28.5 g


FLPA0062



Top out: 220*150mm
Top in: 202*132mm
Capacity: 950ml
Base: 190*120mm
Height: 45mm

Packing	1000 pcs
Carton size	61.5*33.5*45.5 cm
Weight	14.9 g

FLPA005



Top out: 265*161mm
Top in: 247*143mm
Capacity: 1000ml
Base: 233*130mm
Height: 35mm

Packing	600 pcs
Carton size	54.5*42*33.7 cm
Weight	18 g

FLPA006



Top out: 292*190mm
Top in: 274*172mm
Capacity: 1800ml
Base: 255*155mm
Height: 50mm

Packing	500 pcs
Carton size	60*34*39.5 cm
Weight	29.8 g


FLPACDP01



Top out: 220*150mm
Top in: 202*132mm
Capacity: 1400ml
Base: 180*110mm
Height: 69mm

Packing	600 pcs
Carton size	45.5*42*31.5 cm
Weight	23.6 g

FLPACDSL02



Top out: 220*150mm
Top in: 202*132mm
Capacity: 900ml
Base: 185*115mm
Height: 44mm


Packing	1000 pcs
Carton size	61.5*33.5*45.5 cm
Weight	15.8 g

ALUMINUM FOIL CONTAINERS Roaster




FRESH FOIL

HZ




Thickness	0.082 mm
Packing	50 pcs
Carton size	34*29*28.5 cm
Weight	34 g

FZ



Thickness	0.124 mm
Packing	50 pcs
Carton size	54*35*34.5cm
Weight	95 g

F7548




Thickness	0.086 mm
Packing	100 pcs
Carton size	49*26.2*38 cm
Weight	42 g

F7565




Thickness	0.105 mm
Packing	100 pcs
Carton size	49.5*34.3*47.2cm
Weight	70 g

T2526




Thickness	0.091 mm
Packing	100 pcs
Carton size	25.7*24*36 cm
Weight	22 g

T2835



Thickness	0.095 mm
Packing	100 pcs
Carton size	34.5*30*44 cm
Weight	32 g

F8595




Thickness	0.105 mm
Packing	100 pcs
Carton size	59*36*46 cm
Weight	68 g

T7555




Thickness	0.11 mm
Packing	100 pcs
Carton size	51.5*34*47.5 cm
Weight	60 g

T7666



Thickness	0.08 mm
Packing	100 pcs
Carton size	48*35*45.5 cm
Weight	50.6 g

T2878



Thickness	0.148 mm
Packing	50 pcs
Carton size	37*20*56.5 cm
Weight	80 g



**MAKE
YOUR
FOIL
PRODUCTS.**



FOIL CONTAINER PRODUCTION LINE

Three different production lines for customers to choose. All machines designed exclusively for producing aluminum foil containers.

It includes fault auto display & alarming system with easy control and setups. Smooth running and reliability is the core competence of Fresh Life's machinery.



FLFL-80TH

FL-80T is a new style of production line. The accuracy of the production line is in the highest level. It includes Eight face lengthened guide with high accuracy; entire steel welded column type frame with high intensity and hydraulic overload protector etc.



**FL-45H
FL-63H**



FL-45H.FL-63H.FL-80TH

MODEL LINE	FL-45H	FL-63H	FL-80TH
STYLES	1~2 Cavities	2~3 Cavities	3~5 Cavities
NOMINAL FORCE	450KN	630KN	800KN
MOULD HEIGHT ADJUSTMENT	Auto adjustment with screen		
STROKE SPEED	30-80 times/min		
STROKE SIZE(OPTIONAL)	180-220mm	180-240mm	200-250mm
WORKING TABLE SIZE	Two separated Movable& Easy access function(achieve one man change mould)		
AIR TANK NUMBERS	1	3	4
AIR SOLENOID VALUE	6sets, SMC	6sets, SMC	10sets, SMC
MAIN POWER	5.5KW	7.5KW	11KW
PRESS NET WEIGHT	5500KG	8800KG	11800KG
PRESS DIMENSION(LR*FB*H)	1270*1870*3200mm	1500*2200*3500mm	1800*2150*3600mm


Features on FLFD feeders

- 1 Embossing and printing system can be added by customised design;
- 2 AUTO tension system; automatic adjustment in tension;
- 3 High accuracy on feeding and suitable for fast production.




AUTO FEEDER

MODEL LINE	FLFD800	FLFD1000	FLFD1200
STYLES	1~2 Cavities	2~3 Cavities	3~5 Cavities
PLC ADJUSTMENT	Adjustment with screen		
FEEDING STYLES	Loose styles		



- MOLD -




Mold adopt higher level Quality Steel:	Cr12MoV; DC53;SKD11 etc
Mold fit aluminum material alloy:	8011;8006;3003 etc
Thickness range of the container:	0.03mm~0.3mm
Type of foil can be used:	normal foil; lubricated foil; lacquered foil laminated foil; embossed foil etc
Technical Data:	Elongation≥12%; Tensile Strength≥120Mpa

FRESH MACHINE MOLD

Fresh Life design and produce the top level foil container mold in China. We supply mold that suitable for working on Italy machine; Taiwan machine and Korea Machine. We only choose the best possible materials and formation of the mold; smooth running and durable is our best brand name.

FEATURES

- 1 All mold is more thicker than other competitors and durable with longer life;
- 2 Mold guide sticker is at least 50mm with best anneal treatment steel;
- 3 Blowing pipes connected with mold with imported sets.



- MOLD -

AUTO COLLECTOR

Auto collector is designed for production on aluminum foil containers; best solution of boosting the max speed of the production.



It has been designed from 2-5 lanes for different mold;
Fresh Life also provides customized collectors for your existing mold.
All collectors with auto sense devices and fault stopping systems.

AUTO COLLECTOR

Model	FLAD-200	FLAD-300	FLAD-400	FLAD-500
Lane	2 Lanes	3 Lanes	4 Lanes	5 Lanes
Min. Container Dimensions	120*120mm(smaller sizes can be customised)			
Max. Container Dimensions	800*600mm (1 cavity mold) 500*400mm (2 cavities mold) 400*400mm (3 cavities mold) 300*300mm (4 cavities mold) 200*300mm (5 cavities mold)			
Max. Staking height	400mm			
Main Power	1kw	1.2kw	1.5kw	2kw
N.W of Collector	700KG	800KG	900KG	1000KG
Dimension	2500*1000*1500mm	2500*1200*1500mm	2500*1500*1500mm	2500*1600*1500mm



SEMI-AUTO SCRAP SYSTEM

Auto vacuum and manual scrap compressing.



AUTOMATIC SCRAP SYSTEM

Auto vacuum + auto presser compressing and brick machine.

AUTOMATIC SCRAP SYSTEM

Model	FLRW-100	FLRW-F200	FLRW-AT300
style	Semi-auto	Fully-auto (2-3 lines)	Fully-auto (5-10 lines)
Main power	3KW	5.5KW	11.5KW

REWINDING MACHINE

▶ FLRW-300/450



HOUSEHOLD ALUMINUM FOIL

Model	FLRW-300	FLRW-450
Rewinding width	300mm~450mm	300mm~450mm
Main Power	3.5KW	3.5KW
Max Coil	600mm	600mm
Inner coil Dia.	76mm	76mm
Finished product length	3-100M	3-100M
Paper core inner Dia.	25-45mm	25-45mm
N.W of Machine	700KG	800KG
Hot melt machine	Included	Included
Auto-Sticker machine	Optional to add	Optional to add

CATERING ALUMINUM FOIL

Model	FLHW-300	FLHW-450
Rewinding width	300mm~450mm	300mm~450mm
Main Power	3.5KW	3.5KW
Max Coil	600mm	600mm
Inner coil Dia.	76mm	76mm
Finished product length	50-300M	50-300M
Paper core inner Dia.	25-45mm	25-45mm
N.W of Machine	400KG	500KG
Hot melt machine	Optional to add	Optional to add
Auto-Sticker machine	Optional to add	Optional to add




REWINDING MACHINE


◀ FLHW-300/450

METAL BLADE PUNCHING & BOX GLUING MACHINE

▼ FL-B2A



▼ FL-B1A



METAL BLADE PUNCHING & BOX GLUING MACHINE

Model	FL-B1A	FL-B2A
Style	Semi-automatic punishing machine	Fully automatic punching and gluing machine
Speed	50 press/min	100~120 press and box glue per min.
Power	5.5KW	7.5KW
N.W of machine	700KG	2000KG
Suitable box	Corrugated box;shinny box; normal coated box	shinny box; normal coated box

Supplier's Sustainability

Fresh life's proposal on Sustainability

Fresh Life's understanding of Sustainability-is the management and coordination of environmental, social and financial demands and concerns to ensure responsible, ethical and ongoing success.

People:Labour- no force/no slavery and welcome different religions in China including Uyghur, Tibetan.


Product

- ④ Using recycled aluminum as main categories of the material use 100% recycled materials in 2025.
- ④ Using 100% recycled cartons by the end 2022.
- ④ Using plastic liners to pack each carton of aluminum foil trays instead of single bag pack in earlier 2023. Using PLA or corn based materials bags by the end of 2023.
- ④ Using no less than 10% PLA materials in all ranges plastic film by end 2023; and no less than 80% in end 2030.
- ④ Using Rpet in all range of pet section by end 2025.

Environment

Using solar panels to generate electricity. Save us from Electricity control. By 2026. Save 50% of our consumption of power.

Using water cooling air-conditioning in all manufacturing facilities to reduce consumption of power in end 2022.



Gravure Printing

Felxo printing

Factory Overview



High Speed Bag Forming Machine



Our plastic film factory - LiMing Plastic is a family owned business that has been in the market over 30 years. starting with 3 workers, now turned into the largest plastic film manufacturer in the city, with over 150 workers and 25,000 sqmt production area. Various products including PE,PP,PET,CPP,POF,BOPP and PVC in both food and industrial sectors. The factory is also able to print and process into finished products, such as zip lock bags, stand up pouch bags, laminated food packaging films, vacuum bags and high barrier films.




9 Color High Speed Printing Machine



Five layers extruding machine

Core Technology



The core competence of our factory is the high barrier multi layer extrusion technology. Which suitable in fresh food packaging, including raw meat and frozen food. This dramatically extends the shelf life time and reduces the transportation and storage costs.

>> Application



>> M.A.P- Modified Atmosphere Packaging Products



>> Shrink Packaging Products



- High oxygen barrier, long shelf life
- High transparency, high visibility
- High water resistance
- High flexibility, ultra-low temperature freezing and puncture resistance
- Strong sealing
- Customised design/OEM
- Low residue & recyclable

POF-Shrink Film

EXPLORE OUR POF FILMS IN FOOD AND INDUSTRIAL SECTORS



>> BRJ-01

Widely used in all kinds of standard packaging business. Its efficiency and economy makes it the best choice for packaging.



SPECIFICATION SHEET						
THICKNESS(um)	LENGTH(m)		WIDTH(mm)			
BRJ01	SW	CF	SW	CF		
12	16670/13336/10002/6680/3334	3334/1667	200-3200	150-1000		
15	13320/10656/7992/5328/2664	2664/1332				
19	10670/8536/6402/4268/2134	2134/1067				
25	8000/6400/4800/3200/1600	1600/800				
CORE DIAMETER (mm)	76/152	76	76/152	76		
TEST ITEM	UNIT	ASTM TEST	TYPICAL VALUES			
THICKNESS	um		12	15	19	25
OPTICS						
HAZE		D1003	2.8	3.2	4	4.5
CLARITY		D1746	98.5	98.5	98	97
GLOSS@45DEG		D2457	85.5	85.5	87	83.5
SHRINKAGE PROPERTIES			MD		TD	
FREE SHRINKAGE 120°C	%	D2732	50		52	
TENSILE						
TENSILE STRENGTH(MD)	N/mm ²	D882	120	110	105	95
TENSILE STRENGTH(TD)			120	110	105	95
ELONGATION(MD)	%		95	106	110	116
ELONGATION(TD)			95	100	106	113
COF(FILM TO FILM)						
DYNAMIC		D1894	0.2	0.2	0.2	0.2
STATIC			0.21	0.21	0.21	0.21
MAX STORAGE TEMPERATURE	°C		32			

POF-Shrink Film

BRJ HIGH SPEED PACKAGING FILM SERIES



>> BRJ-02W

The film is designed for high speed continuous packing; the packaging speed can boost up to 250 packs per min.



SPECIFICATION SHEET					
品名	THICKNESS(um)	LENGTH(m)		WIDTH(mm)	
		SW	CF	SW	CF
BRJ02W	10	3000/4000/5000	/	200-800	/
	12	3334	/		/
	15	3000	/		/
BRJ02G	19	3000	/		/
	22	2500	/		/
	25	2000	/		/
BRJ02WR	10	3000/4000/5000	1500/2000	150-900	
	12	3334	1667		
CORE DIAMETER (mm)		76			
TEST ITEM	UNIT	ASTM TEST	TYPICAL VALUES		
Product Name			BRJ02W	BRJ02G	BRJ02WG
Thickness	um		10	19	10
Optics					
Haze		D1003	2	2.3	2.5
Clarity		D1746	98.5	98.5	98
Gloss@45Deg		D2457	87	87	85
SHRINKAGE PROPERTIES			MD	TD	
Free Shrinkage 120°C	%	D2732	65	65	
TENSILE					
Tensile Strength(MD)	N/mm ²	D882	115	110	115
Tensile Strength(TD)			115	110	115
Elongation(MD)	%		100	110	95
Elongation(TD)			100	110	95
SEAL STRENGTH					
Hot Wire Seal	N/mm	F88	0.7	0.85	0.7
COF(Film To Film)					
Dynamic		D1894	0.3	0.35	0.22
MAX STORAGE TEMPERATURE	°C		32		


POF-Shrink Film

BRJ CROSSLINKED SHRINK FILM SERIES



>> BRJ-03

BRJ03 is cross-linked film with high strength and shrinkage. It is used for manual semi-automatic and automatic packaging machine. In addition, the film is high glossy and transparency.



SPECIFICATION SHEET

THICKNESS(um)	LENGTH(m)		WIDTH(mm)					
	BRJ03	SW	CF	SW	CF			
12	10002/6680/3334		1667	200-3200	150-1000			
15	7992/5328/2664		1332					
19	6402/4268/2134		1067					
25	4800/3200/1600		800					
30	3996/2664/1332		666					
38	3156/2104/1052		526					
CORE DIAMETER (mm)	76/152		76	76/152	76			
TEST ITEM	UNIT	ASTM TEST	TYPICAL VALUES					
THICKNESS	um		12	15	19	25	30	38
OPTICS								
Haze		D1003	2.2	2.5	3	3.7	4.3	4.5
Gloss @ 45Deg		D2457	87					
Clarity		D1746	94	94	91	87	76	75
SHRINKAGE PROPERTIES			MD	TD	MD	TD		
Free Shrinkage 100°C	%	D2732	15	25	15	25		
Free Shrinkage 110°C			35	45	30	40		
Free Shrinkage 120°C			68	70	65	66		
Free Shrinkage 130°C			81	80	80	79		
TENSILE								
Tensile Strength(MD)	N/mm ²	D882	120		100			
Tensile Strength(TD)			130		110			
Elongation(MD)	%		120		130			
Elongation(TD)			120		130			
SEAL STRENGTH								
MD/Hot Wire Seal	N/15mm	F88	12.5	15.2	18.5	12.5	15.2	18.5
TD/Hot Wire Seal			13	16.6	19	13	16.6	19
COF(FILM TO FILM)								
Dynamic		D1894	0.2					
Static			0.21					
MAX STORAGE TEMPERATURE	°C		32					

POF-Shrink Film

BRJ HIGH-PERFORMANCE FILM SERIES



>> BRJ-03AF



BRJ03AF is anti-fog cross-linked shrink film which can solve the problem of fogging in the refrigerated state, make the product looking- beautiful and fresh, and also extend the shelf life of the product.




SPECIFICATION SHEET				
THICKNESS(um)	LENGTH(m)		WIDTH(mm)	
BRJ03AF	SW	CF	SW	CF
11	10908/7272/3636	1818	200-3200	150-1000
15	7992/5328/2664	1332		
19	6402/4268/2134	1067		
25	4800/3200/1600	800		
CORE DIAMETER (mm)	76/152	76	76/152	76
TEST ITEM	UNIT	ASTM TEST	TYPICAL VALUES	
Thickness	um		11	15 19 25
OPTICS				
Haze		D1003	4.5	
Clarity		D2457	81	
SHRINKAGE PROPERTIES				
Free Shrinkage 120°C			MD	TD
			80	78
TENSILE				
Tensile Strength(MD)	N/mm ²	D882	105	
Tensile Strength(TD)			110	
Elongation(MD)	%		110	
Elongation(TD)			110	
COF(FILM TO FILM)				
Dynamic		D1894	0.25	
Static			0.25	
MAX STORAGE TEMPERATURE	°C		25	

POF-Shrink Film

BRJ HIGH-PERFORMANCE FILM SERIES



>> BRJ-04



BRJ04 is high-performance shrink film. It has high heat sealing ability, low operating temperature, wide heat sealing range, static sealing, small shrinkage angle and soft.



SPECIFICATION SHEET						
THICKNESS(um)	LENGTH(m)		WIDTH(mm)			
BRJ04	SW	CF	SW	CF		
12	10002/6680/3334	1667	200-3200	150-1000		
15	7992/5328/2664	1332				
19	6402/4268/2134	1067				
25	4800/3200/1600	800				
CORE DIAMETER (mm)	76/152	76	76/152	76		
TEST ITEM	UNIT	ASTM TEST	TYPICAL VALUES			
Thickness	um		12	15	19	25
OPTICS						
Haze		D1003	3	3	3.5	4.5
Clarity		D1746	98	97	96	94
SHRINKAGE PROPERTIES						
Free Shrinkage 90°C	%	D2732	MD		TD	
Free Shrinkage 100°C			30			35
Free Shrinkage 110°C			45			47
Free Shrinkage 120°C			55			57
			70			70
TENSILE						
Tensile Strength(MD)	N/mm ²	D882				65
Tensile Strength(TD)						80
Elongation(MD)	%					90
Elongation(TD)						90
SEAL STRENGTH						
MD/Hot Wire Seal	N/15mm	F88	10.5	12	13	16
TD/Hot Wire Seal			11	12	12.9	16.5
COF(FILM TO FILM)						
Dynamic		D1894				0.16
Static						0.16
MAX STORAGE TEMPERATURE	°C					25

POF-Shrink Film

BRJ PROCESS FILM SERIES



>> BRJ-HP



BRJ-HP is micro-perforated shrink film. It accelerates the air exchange between packed foods, suitable for the packaging of eggs, fruits and vegetables.



>> BRJ-01Y



BRJ-01Y is designed and produced for the purpose of high quality printing. It is a film with good printing property. It is suitable for printing picture with many colors and large sizes. It is compatible with both semi-automatic packaging machines.

>> BRJ-ZD



If you don't have automatic seal machine, but have suitable shrink tunnel, we can customize shrink bags for you according your requirements.

Stretch Film



LLDPE

linear low density polyethylene



PE Stretch Film of Colored Paper Tube

- * THICKNESS: 12~40 micron
- * WIDTH: 100-500mm
- * MATERIAL: LLDPE



PE Hand Use Stretch Film

- * THICKNESS: 16~40 micron
- * WIDTH: 100-125mm
- * MATERIAL: LLDPE



PE Machine Use Stretch Film

- * THICKNESS: 16~40 micron
- * WIDTH: 100-500mm
- * MATERIAL: LLDPE



Food Wrapping PVC and Cling Films

	Width range	Thickness Range	Length Range	MOQ	Paper core size (inner diameter)	PRODUCTION PROCESS
PVC cling wrap (Hand-use packing)	20cm-60cm (max180cm)	9mic-25mic (max50mic)	200m-500m	2tons per size	76mm	
PVC cling wrap (semi-automatic packing machine use in Kitchen)	20cm-60cm (max180cm)	9mic-25mic (max50mic)	600m-1500m	2tons per size	76mm	
PVC cling wrap (Jumbo roll for rewinding)	20cm-60cm (max180cm)	9mic-25mic (max50mic)	1600m-3000m	5tons per size	76mm	
PVC cling wrap (automatic Machine-use packing)	20cm-60cm (max180cm)	9mic-25mic (max50mic)	200m-3000m	5tons per size	76mm	DIRECTLY FROM MACHINE
PVC cling wrap (Household use in separate box)	20cm-60cm	9mic-25mic	10m-100m	2000rolls per size	1" (25.4mm)	DO REWINDING AFTER PRODUCTION
			100m-300m (30' -100')		1.5" (38mm)	
			300m-1000m (100' -3000')		2" (50mm)	
PVC cling wrap (Ultralow Temperature use)	20cm-60cm	8mic-25mic	200m-3000m	5tons per size	76mm	DIRECTLY FROM MACHINE
PVC cling wrap (Household use in separate box)	20cm-60cm	8mic-25mic	10m-100m	2000rolls per size	1" (25.4mm)	DO REWINDING AFTER PRODUCTION
			100m-300m (30' -100')		1.5" (38mm)	
			300m-1000m (100' -3000')		2" (50mm)	
PE cling wrap	20cm-60cm (max180cm)	8mic-25mic (max50mic)	200m-6000m	5tons per size	76mm	DIRECTLY FROM MACHINE




OTHER APPLICATION- GARBAGE BAG AND ROLL BAGS



>> T-SHIRT BAG

TYPE	LDPE/HDPE
PACKING	100pcs/block, 1000pcs/carton
CARTON SIZE (cm)	31x29x12



>> POLY BAG

TYPE	LDPE/HDPE
PACKING	1000pcs/roll, 4rolls/ctn
	WITH ONE OR TWO COLOR PRINT



>> GARBAGE BAG / BIN LINER



Item Code	Size (in)	Micron	Case Pack	Bags /Roll	Rolls /Case	Capacity (Gallon)
PWL243325	23X33	25.4	500	25	20	8-10
PWL343213	24X32	12.7	500	25	20	8-10
PWL243309	24X33	8.9	1000	50	20	8-10
PWL284028	28X40	27.9	250	25	10	20-30
PWL303620	30X36	20.3	200	20	10	20-30
PWL303623	30X36	22.9	200	25	8	20-30
PWL304320	30X43	20.3	100	25	4	20-30
PWL333923	33X39	22.9	150	25	6	33
PWL333920	33X39	20.3	150	15	10	33
PWL333925	33X39	25.4	250	25	10	33
PWL333933	33X39	33.0	250	25	10	33
PWL333043	33X39	43.2	200	20	10	33
PWL334019	33X40	19.1	250	25	10	33
PWL334022	33X40	22.1	250	25	10	34
PWL334043	33X40	43.2	100	20	5	34
PWL334131	33X41	30.5	150	15	10	34
PWL334148	33X41	48.3	100	20	5	34
PWL365051	36X50	50.8	100	20	5	40-45
PWL265821	36X58	30.5	100	20	5	55
PWL366022	36X60	22.1	150	25	6	55
PWL385820	38X58	20.3	100	20	5	60

Item Code	Size (in)	Micron	Case Pack	Bags /Roll	Rolls /Case	Capacity (Gallon)
PWL385823	38X58	22.9	100	25	4	60
PWL385829	38X58	29.2	100	25	4	60
PWL385838	38X58	38.1	100	25	4	60
PWL385843	38X58	43.2	100	25	4	60
PWL385851	38X58	50.8	100	25	4	60
PWL386022	38X60	22.1	150	25	6	60
PWL404620	40X46	20.3	100	20	5	40-45
PWL404623	40X46	22.9	100	25	4	40-45
PWL404631	40X46	30.5	100	25	4	40-45
PWL404633	40X46	33.0	125	25	5	40-45
PWL404638	40X46	38.1	100	20	5	40-45
PWL404819	40X48	19.1	200	25	8	40-45
PWL404822	40X48	22.1	150	25	6	40-45
PWL434718	43X47	17.8	100	20	5	Glutton
PWL434720	43X47	20.3	100	20	5	Glutton
PWL434723	43X47	22.9	100	25	4	Glutton
PWL434743	43X47	43.2	100	25	4	Glutton
PWL434733	43X47	33.0	100	20	5	Glutton
PWL434851	43X48	50.8	100	25	4	Glutton
PWL436041	43X60	40.6	100	25	4	Glutton

Item Code	Size (in)	Micron	Case Pack	Bags /Roll	Rolls /Case	Capacity (Gallon)
PW171806	17X18	6	2000	50	40	4
PW202206	20X22	6	2000	50	40	7
PW242406	24X24	6	1000	50	20	7-10
PW242408	24X24	8	1000	50	20	12-16
PW243306	24X33	6	1000	50	20	12-16
PW243308	24X33	8	1000	50	20	20-30
PW303708	30X37	8	500	25	20	20-30
PW303710	30X37	10	500	25	20	20-30
PW303712	30X37	12	500	25	20	20-30
PW303716	30X37	16	500	25	20	33
PW334009	33X40	9	500	25	20	33
PW334011	33X40	11	500	25	20	33
PW334013	33X40	13	500	25	20	33
PW334015	33X40	15	250	25	10	33
PW334016	33X40	16	250	25	10	33
PW366012	36X60	12	200	25	8	55
PW366014	36X60	14	200	25	8	55
PW366016	36X60	16	200	25	8	55
PW366017	36X60	17	200	25	8	55
PW374612	37X46	12	250	25	10	44
PW374614	37X46	14	250	25	10	44
PW386012	38X60	12	200	25	8	60
PW386014	38X60	14	200	25	8	60
PW386016	38X60	16	200	25	8	60
PW386017	38X60	17	200	25	8	60
PW386022	38X60	22	150	25	8	60
PW386024	38X60	24	150	25	6	60
PW404611	40X46	11	250	25	10	40
PW404810	40X48	10	250	25	10	40-45
PW404811	40X48	11	250	25	10	40-45
PW404812	40X48	12	250	25	10	40-45
PW404814	40X48	14	250	25	10	40-45
PW404816	40X48	16	250	25	10	40-45
PW404817	40X48	17	250	25	10	40-45
PW404819	40X48	19	150	25	6	40-45
PW404822	40X48	22	150	25	6	40-45
PW434812	43X48	12	200	25	8	Glutton
PW434814	43X48	14	200	25	8	Glutton
PW434816	43X48	16	200	25	8	Glutton
PW434817	43X48	17	200	25	8	Glutton
PW434822	43X48	22	200	25	8	Glutton
PW445418	44X54	18	125	25	5	Glutton
PW504416	50X44	16	150	25	6	Glutton



Other Film Application

Cost-effective

Durable

Comfortable

>> NEW GENERATION OF GLOVES-PWSY200BOX



1400 CTNS/20' FCL
2800 CTNS/40' FCL

PACKING	200pcs/box, 10boxes/ctn
COLOR	CLEAR/BLUE
INNER BOX SIZE (cm)	24x12x6.5
CARTON SIZE (cm)	33.5x25x25



>> GLOVES-PWHD500BOX/PWLD500BOX



TYPE	HDPE/LDPE
COLOR	CLEAR/BLUE
PACKING	500pcs/box
INNER BOX SIZE (cm)	24x12x6.5
4 BOXES/CTN	28x13.2x24.5 6400 CTNS/40' FCL
20 BOXES/CTN	50x25.5x35 1300CTNS/40' FCL

>> GLOVES-PW 100BOX



700 CTNS/20' FD
1400 CTNS/40' FCL

TYPE	HDPE/LDPE
COLOR	CLEAR/BLUE
PACKING	100pcs/box, 100boxes/ctn
INNER BOX SIZE (cm)	18.6x16x1
CARTON SIZE (cm)	40x33x30



Personal Protective Equipment



>> GLOVES-PWCPE100BOX



4300CTNS/40' FCL

PACKING	100pcs/box, 10boxes/ctn
COLOR	CLEAR/BLUE
INNER BOX SIZE (cm)	25x12x3.5
CARTON SIZE (cm)	36.5x25.5x20

>> BAG GLOVES-PWHD100BG/PWLD100BG

2750CTNS/40' FCL

TYPE	LDPE/HDPE
PACKING	100pcs/bag, 10bags/ctn
COLOR	CLEAR/BLUE
INNER BAG SIZE (cm)	18x25
CARTON SIZE (cm)	40x30x17



>> HANGING HEAD GLOVES-PWLDGH100



1260CTNS/40' FCL

TYPE	LDPE/HDPE
PACKING	100pcs/pack 20packs/ctn
COLOR	CLEAR/BLUE
INNER BAG SIZE (cm)	25x12x3.5
CARTON SIZE (cm)	51.5x35x25.5

>> APRON-PWAP2846100



3000CTNS/40' FCL

TYPE	LDPE/HDPE
PACKING	100pcs/bag, 10bags/ctn
COLOR	CLEAR/WHITE
CARTON SIZE (cm)	35x27x14

2400CTNS/40' FCL

TYPE	LDPE/HDPE
PACKING	100pcs/bag, 10bags/ctn
COLOR	CLEAR/WHITE
CARTON SIZE (cm)	38x35x18

3500CTNS/40' FCL

TYPE	LDPE/HDPE
PACKING	200pcs/roll 5roll/ctn
COLOR	CLEAR/WHITE/YELLOW/RED/BLUE/GREEN
CARTON SIZE (cm)	47x35.5x10

Personal Protective Equipment

>> SLEEVE COVER



1700CTNS/40' FCL

TYPE	LDPE/40x20cm
PACKING	10pcs/bundle, 200bundles/ctn
COLOR	WHITE/BLUE/RED
CARTON SIZE (cm)	38.5x27x32.5

1600CTNS/40' FCL

TYPE	PP NON WOVEN/40x20cm
PACKING	100pcs/innerbag, 20innerbags/ctn
COLOR	WHITE/BLUE/PINK
CARTON SIZE (cm)	35x30x34

>> SHOE COVER



2260CTNS/40' FCL

TYPE	LDPE
PACKING	10pcs/bundle, 200bundles/ctn
COLOR	WHITE/BLUE
CARTON SIZE (cm)	40x20x32

1440CTNS/40' FCL

TYPE	PP NON WOVEN
PACKING	100pcs/bag, 10bags/ctn
COLOR	WHITE/GREEN/BLUE/PINK
CARTON SIZE (cm)	38x32x33




>> HAIR NET



1400CTNS/40' FCL

TYPE	PP NON WOVEN
PACKING	50PCS/INNERBAG, 40INNERBAGS/CTN
COLOR	WHITE/BLUE/PINK/GREEN/RED/YELLOW
CARTON SIZE (cm)	61x27x25.2

>> MASK



900CTNS/40' FCL

TYPE	PP NON WOVEN
PACKING	50PCS/BOX, 40BOXES/CTN
COLOR	WHITE/BLUE/PINK/GREEN/RED/YELLOW
CARTON SIZE (cm)	52x38x34

Personal Protective Equipment

>> NITRITE GLOVES



Size	Ctn Size	G.W	N.W	20ft GP	40ft HC
S	315*258*235mm	4.0kg	3.0kg	1500ctns	3600ctns
M	315*258*235mm	4.5kg	3.5kg	1500ctns	3600ctns
L	315*258*235mm	5.0kg	4.0kg	1500ctns	3600ctns
XL	315*258*235mm	5.5kg	4.5kg	1500ctns	3600ctns

Protecting your hands against hazardous materials, such as chemicals, bleaches, and other solutions is important for everyone's health and safety. The use of disposable gloves also helps in avoiding injury during work such as a scrape or a cut. The use of gloves in infection control is very popular nowadays.



>> VINYL GLOVES



Size	Ctn Size	G.W	N.W	20ft GP	40ft HC
S	315*258*235mm	5.0kg	4.0kg	1500ctns	3600ctns
M	315*258*235mm	5.5kg	4.5kg	1500ctns	3600ctns
L	315*258*235mm	6.0kg	5.0kg	1500ctns	3600ctns
XL	315*258*235mm	6.5kg	5.5kg	1500ctns	3600ctns



Paper craft & cardboard



2022 TOP Selling Items  **For Australia Market**

TOP Selling sizes



F-flute Box

- #1
Burger Box: 105*102*85mm
Boat Tray: 131*91*50mm
- #2
Snack Box Regular: 175*90*84mm
Boat Tray: 178*178*45mm
- #4
Dinner Box: 178*160*80mm



Salad Box

400ml/700ml/1100ml



Salad Bowl

500ml/750ml/1000ml



Cup Carrier

4 Cups Carrier
Pulp Cup Carrier for 2/4 Cups



Cake Box

- #1
255*153*80mm
- #5
225*225*60mm
- #1
359*252*80mm



Soup Cup

12oz/16oz/26oz



Sandwich Box

123*123*72mm



Lunch Box

- #1
113*90*63mm
- #8
152*120*63mm



Noodle Box

16oz/26oz/32oz



Sauce Cup

0.75oz/2oz/3.25oz



Why us?



- LONG HISTORY**
More than 10 years of food pack development and production experiences
- HIGH QUALITY**
Design and manufacture high quality products for supermarket, fast food chain shop.
- FAST RESPONSE**
You will get response within 24hours
- SMALL ORDER ACCEPTABLE**
Min.order quantity of our stock could be 1carton
- FREE SAMPLES**
Free samples could be offered.
- OEM ACCEPTABLE**
More than 10 years OEM experiences for hundreds clients from USA and European
- TRANSPORT SERVICE**
Offer competitive shipping charge of (DHL, Fedex, by air, door to door by sea)
- NEWS OFFERED**
Timely food pack news for references

>> CUP CARRIER



- Recycled
- Eco-friendly
- 100% compostable

Paper craft & cardboard



JACK MIAO 045 028 7718
 EMAIL: flpau001@gmail.com
 Address: 6/117 Ewing St, Welshpool 6106
 WA AUSTRALIA

F-FLUTE RANGE

**STRONGER, LIGHTER,
 MORE HEAT INSULATED**

F-flute products are 100% compostable, so they don't produce toxic and pollute earth. All this range are sustainable and environmental friendly. F-flute products are made from recyclable materials. Once used, the packaging can be converted once again into usable raw material for zero waste.

Compostable


FSC™ certified

Standard Sizes

Recyclable

Responsible consumption

MAIN CHARACTERISTICS



- | | | | | | |
|--|--|--|---|---|--|
|
Burger Box
105*105*85mm
250pcs/ctn |
Burger Box
110*110*107mm
250pcs/ctn |
Snack Regular
175*90*84mm
200pcs/ctn |
Snack Regular
185*90*64mm
150pcs/ctn |
Burger Box
164*164*50mm
150pcs/ctn |
Burger Box
176*157*80mm
150pcs/ctn |
|
Snack Large
204*109*77mm
200pcs/ctn |
Dinner Box
178*160*80mm
150pcs/ctn |
Burger Box
200*140*75mm
150pcs/ctn |
Family Box
290*170*85mm
100pcs/ctn |
Hot dog Box
208*70*75mm
200pcs/ctn | |
|
Food Tray
131*91*50mm
500pcs/ctn |
Food Tray
178*178*45mm
240pcs/ctn |
Food Tray
180*134*45mm
150pcs/ctn |
Food Tray
228*152*45mm
150pcs/ctn |
Food Tray
255*179*58mm
100pcs/ctn |
Chip Box
70*45*5mm
500pcs/ctn |
|
BOX: 225*225*60mm
LID: 229*228*30mm
100pcs/ctn |
BOX: 255*153*80mm
LID: 259*156*30mm
100pcs/ctn |
BOX: 359*252*80mm
LID: 363*255*30mm
100pcs/ctn |
BOX: 558*252*80mm
LID: 562*255*30mm
50pcs/ctn |
BOX: 450*310*80mm
LID: 454*313*30mm
50pcs/ctn | |



Paper craft & cardboard



JACK MIAO 045 028 7718
 EMAIL: flpaus001@gmail.com
 Address: 6/117 Ewing St, Welshpool 6106 WA AUSTRALIA

CORRUGATED CAKE BOX



- 
#1
 BOX: 225*225*60mm
 LID: 229*228*30mm
 100pcs/ctn
- 
#2
 BOX: 359*252*80mm
 LID: 363*255*30mm
 100pcs/ctn
- 
#3
 BOX: 558*252*80mm
 LID: 562*255*30mm
 50pcs/ctn
- 
#4
 BOX: 450*310*80mm
 LID: 454*313*30mm
 50pcs/ctn
- 
#5
 BOX: 255*153*80mm
 LID: 259*156*30mm
 100pcs/ctn



- #1**
229*229*60mm
- #2**
363*252*80mm
- #3**
558*252*80mm
- #4**
450*310*80mm
- #5**
255*153*80mm



Box with raffia ribbon



Box with ribbon

Paper craft & cardboard



Item	Handle	Size (mm)	Printing	GSM	Material
FRsos12HD	NO	178*110*330	customised	90gsm	Recycled
FRsos16HD	NO	240*120*390	customised	90gsm	Recycled
FRsos20HD	NO	305*180*430	customised	100gsm	Recycled
FRBKPT#10	YES	278*150*279	customised	125gsm	Kraft
FRBKPT#9	YES	212*139*273	customised	125gsm	Kraft
FRBKPT#10	YES	258*150*263	customised	125gsm	Kraft
FRBKPT#305	YES	305*180*305	customised	120gsm	Recycled
FRBKPT#14	YES	311*178*420	customised	120gsm	Recycled





FORM EARTH BACK TO EARTH



Bagasse is the fibre that remains after the juice has been extracted from the sugar cane plant – bagasse is an abundant agricultural by-product with more than 50 million tons produced each year.



>> Why Sugar cane pulps?



Bagasse or often called sugarcane pulp. It is becoming one of the most popular packaging method in food industry and represents a huge opportunity to move away from conventional plastic packaging and towards a circular economy model.

- * LOWER CARBON FOOTPRINT
- * RECYCLABLE WITH CARDBOARD
- * RENEWABLE
- * COMPOSTABLE

FRESH LIFE is committed to reduce emission and aiming for recyclable, biodegradable and sustainable packaging way.



FRCS600	
Description	600ML Clamshell
Packing	400 pcs/ctn
Carton size	39*27.5*38 cm



FRCS96	
Description	9"X6" Lunch Box 1000ml
Packing	250 pcs/ctn
Carton size	46*31*24 cm



FRCS96-2	
Description	9"X6" 2 Compartment Clamshell
Packing	250 pcs/ctn
Carton size	53*33.5*26 cm



FRCS65	
Description	6.5" Hamburger Clamshell (450ml)
Packing	500 pcs/ctn
Carton size	53*31.5*31.2 cm



FRCS81	
Description	8" Clamshell
Packing	200 pcs/ctn
Carton size	45*37*21.5 cm



FRCS91	
Description	9" Clamshell
Packing	200 pcs/ctn
Carton size	47.5*35.5*24.5 cm



FRCS93	
Description	9" 3 Compartment Clamshell
Packing	200 pcs/ctn
Carton size	47.5*35.5*24.5 cm